





cable gland

OVERALL SOLUTION EXPERT



Brass Waterproof Screw Plug PG/Metric Type (Round or Hexagon)


- **Thread:** PG、Metric
- **Materials:** Nickel plated brass
- **Protection Degree:** IP68 (within fastening range, 0 type was her will be used in tightening part)
- **Working Temperature:** -40℃ to 100℃ in static state



Model	Thread O. D. AG (mm)	Thread Length GL (mm)	Main Body Dimensions H (mm)	Cover Dimensions D (mm)
PG7	12.5	6	9	14
PG9	15.2	7	10.5	17
PG11	18.6	7	10.5	20
PG13.5	20.4	7.5	11	22
PG16	22.5	7.5	11.5	24
PG19	24	8	11.5	26
PG21	28.3	8	12	30
PG25	30	9	12.5	32
PG29	37	9	12.5	40
PG36	47	9	16	50
PG42	54	10	17	57
PG48	59.3	11	18	64

Model	Thread O. D. AG (mm)	Thread Length GL (mm)	Main Body Dimensions H (mm)	Cover Dimensions D (mm)
M12X1.5	12	6	9	14
M16X1.5	16	7	10.5	17
M18X1.5	18	7	10.5	20
M20X1.5	20	7.5	11	22
M22X1.5	22	7.5	11.5	24
M24X1.5	24	8	11.5	26
M25X1.5	25	8	12	27
M27X1.5	27	8	12	30
M30X1.5	30	9	12.5	32
M32X1.5	32	9	13	34
M40X1.5	40	9	14	42
M50X1.5	50	10	17	52
M63X1.5	63	11	19	68





InterElcom Sp. z o.o.

NIP: 898218586 Regon: 021451864

T: +48 71 780 78 36 | T: +48 71 780 78 37

www.interelcom.com | info@interelcom.com